


# Formal Concept Analysis


## 2 Closure Systems and Implications

## 5 Implications



# Implications

**Def.:** An **implication**  $X \rightarrow Y$  holds in a context, if every object having all attributes in  $X$  also has all attributes in  $Y$ .




- **Examples:**
  - { Swimming }  $\rightarrow$  { Hiking }
  - { Boating }  $\rightarrow$  { Swimming, Hiking, NPS Guided Tours, Fishing }
  - { Bicycle Trail, NPS Guided Tours }  $\rightarrow$  { Swimming, Hiking }

# Independency

**Def.:** Let  $X \subseteq M$ . The attributes in  $X$  are **independent**, if there are no trivial dependencies between them.

- Example:**
- Fishing
  - Bicycle Trail
  - Swimming

are independent attributes.




# Independency

**Lemma:** Attributes are independent if they span a hyper-cube.

**Example:**

- Fishing
- Bicycle Trail
- Swimming

are independent attributes.



## Concept Intents and Implications

**Def.:** A subset  $T \subseteq M$  **respects** an implication  $A \rightarrow B$ , if  $A \subseteq T$  or  $B \subseteq T$ .

$T$  **respects a set**  $\mathcal{L}$  of implications, if  $T$  respects every single implication in  $\mathcal{L}$ .

**Lemma:** An implication  $A \rightarrow B$  holds in a context iff  $B \subseteq A''$ . It is then respected by all concept intents.

20.06.2005 5

**Lemma:** Is  $\mathcal{L}$  a set of implications in  $M$ , then

$$\mathcal{H}(\mathcal{L}) := \{X \subseteq M \mid X \text{ respects } \mathcal{L}\}$$

is a closure system.

The related closure operator is constructed as follows:

For a set  $X \subseteq M$  let

$$X^{\mathcal{L}} := X \cup \bigcup \{B \mid A \rightarrow B \in \mathcal{L}, A \subseteq X\}.$$

Compute  $X^{\mathcal{L}}, X^{\mathcal{L}\mathcal{L}}, X^{\mathcal{L}\mathcal{L}\mathcal{L}}, \dots$ , until a set

$$\mathcal{L}(X) := X^{\mathcal{L}\dots\mathcal{L}}$$

with  $\mathcal{L}(X)^{\mathcal{L}} = \mathcal{L}(X)$  (i.e., a fix point) is reached. (for infinite contexts this may be an infinite process).  $\mathcal{L}(X)$  ist then the closure of  $X$  with respect to the closure system  $\mathcal{H}(\mathcal{L})$ .

**Bem.:** Dies ist der Algorithmus AttrHülle der Datenbankvorlesung!

20.06.2005 6

**Def.:** An implication  $A \rightarrow B$  **is (semantically) entailed** from a set  $\mathcal{L}$  of implications, if every subset of  $M$  respecting  $\mathcal{L}$  also respects  $A \rightarrow B$ .

A family  $\mathcal{L}$  of implications ist called **closed** if every implication entailed from  $\mathcal{L}$  is already contained in  $\mathcal{L}$ .

**Lemma:** A set  $\mathcal{L}$  of implications on  $M$  is closed iff the following conditions (Armstrong rules) are fulfilled for all  $W, X, Y, Z \subseteq M$ :

1.  $X \rightarrow X \in \mathcal{L}$ ,
2. If  $X \rightarrow Y \in \mathcal{L}$ , then  $X \cup Z \rightarrow Y \in \mathcal{L}$ ,
3. If  $X \rightarrow Y \in \mathcal{L}$  and  $Y \cup Z \rightarrow W \in \mathcal{L}$ , then  $X \cup Z \rightarrow W \in \mathcal{L}$ .

**Bem.:** Auch diese Regeln sollten einem aus der Datenbankvorlesung bekannt vorkommen!

20.06.2005 7

**Def.:** A set  $\mathcal{L}$  of implications of a context  $(G, M, I)$  is called **complete**, if every implication of  $(G, M, I)$  is entailed from  $\mathcal{L}$ .

A set  $\mathcal{L}$  of implications is called **non-redundant**, if no implication is entailed from the others.

**Def.:**  $P \subseteq M$  is called **pseudo intent** of  $(G, M, I)$  if  $P \neq P''$  and for every pseudo intent  $Q \subseteq P$  with  $Q \neq P$  holds  $Q'' \subseteq P$ .

**Theorem:** The set of implications

$$\mathcal{L} := \{P \rightarrow P'' \mid P \text{ Pseudoinhalt}\}$$

is non-redundant and complete. We call  $\mathcal{L}$  **stem basis**.


20.06.2005 8

**Example:** Membership of developing countries in supranational groups  
(Source: Lexikon Dritte Welt. Rowohlt-Verlag, Reinbek 1993)

	Group of 77	Non-aligned	LLDC	MSAC	OPEC	ACP
Afghanistan	x	x	x	x	x	x
Algeria	x	x	x	x	x	x
Angola	x	x	x	x	x	x
Antigua and Barbuda	x	x	x	x	x	x
Argentina	x	x	x	x	x	x
Bahamas	x	x	x	x	x	x
Bahrain	x	x	x	x	x	x
Bangladesh	x	x	x	x	x	x
Barbados	x	x	x	x	x	x
Belize	x	x	x	x	x	x
Benin	x	x	x	x	x	x
Bhutan	x	x	x	x	x	x
Bolivia	x	x	x	x	x	x
Botswana	x	x	x	x	x	x
Brazil	x	x	x	x	x	x
Brunei	x	x	x	x	x	x
Burkina Faso	x	x	x	x	x	x
Burundi	x	x	x	x	x	x
Cambodia	x	x	x	x	x	x
Cameroon	x	x	x	x	x	x
Cape Verde	x	x	x	x	x	x
Central African Rep.	x	x	x	x	x	x
Chad	x	x	x	x	x	x
Chile	x	x	x	x	x	x
China	x	x	x	x	x	x
Colombia	x	x	x	x	x	x
Comoros	x	x	x	x	x	x
Congo	x	x	x	x	x	x
Costa Rica	x	x	x	x	x	x
Cuba	x	x	x	x	x	x
Djibouti	x	x	x	x	x	x
Dominica	x	x	x	x	x	x
Dominican Rep.	x	x	x	x	x	x
Ecuador	x	x	x	x	x	x
Egypt	x	x	x	x	x	x
El Salvador	x	x	x	x	x	x
Equatorial Guinea	x	x	x	x	x	x
Ethiopia	x	x	x	x	x	x
Fiji	x	x	x	x	x	x
Gabon	x	x	x	x	x	x
Gambia	x	x	x	x	x	x
Ghana	x	x	x	x	x	x
Grenada	x	x	x	x	x	x
Guatemala	x	x	x	x	x	x
Guinea	x	x	x	x	x	x
Guinea-Bissau	x	x	x	x	x	x
Guyana	x	x	x	x	x	x
Haiti	x	x	x	x	x	x
Honduras	x	x	x	x	x	x
Hong Kong	x	x	x	x	x	x
India	x	x	x	x	x	x
Indonesia	x	x	x	x	x	x
Iran	x	x	x	x	x	x
Iraq	x	x	x	x	x	x
Ivory Coast	x	x	x	x	x	x
Jamaica	x	x	x	x	x	x
Jordan	x	x	x	x	x	x
Kenya	x	x	x	x	x	x
Kiribati	x	x	x	x	x	x
Korea-North	x	x	x	x	x	x
Korea-South	x	x	x	x	x	x
Kuwait	x	x	x	x	x	x
Laos	x	x	x	x	x	x
Lebanon	x	x	x	x	x	x
Lesotho	x	x	x	x	x	x
Liberia	x	x	x	x	x	x
Libya	x	x	x	x	x	x
Madagascar	x	x	x	x	x	x
Malawi	x	x	x	x	x	x
Malaysia	x	x	x	x	x	x
Maldives	x	x	x	x	x	x
Mali	x	x	x	x	x	x
Mauretania	x	x	x	x	x	x
Mauritius	x	x	x	x	x	x
Mexico	x	x	x	x	x	x
Mongolia	x	x	x	x	x	x
Morocco	x	x	x	x	x	x
Mozambique	x	x	x	x	x	x
Myanmar	x	x	x	x	x	x
Namibia	x	x	x	x	x	x
Nauru	x	x	x	x	x	x
Nepal	x	x	x	x	x	x
Nicaragua	x	x	x	x	x	x
Niger	x	x	x	x	x	x
Nigeria	x	x	x	x	x	x
Oman	x	x	x	x	x	x
Pakistan	x	x	x	x	x	x
Panama	x	x	x	x	x	x
Papua New Guinea	x	x	x	x	x	x
Paraguay	x	x	x	x	x	x
Peru	x	x	x	x	x	x
Philippines	x	x	x	x	x	x
Qatar	x	x	x	x	x	x
Réunion	x	x	x	x	x	x
Rwanda	x	x	x	x	x	x
Samoa	x	x	x	x	x	x
São Tomé e Príncipe	x	x	x	x	x	x
Saudi Arabia	x	x	x	x	x	x
Senegal	x	x	x	x	x	x
Seychelles	x	x	x	x	x	x
Sierra Leone	x	x	x	x	x	x
Singapore	x	x	x	x	x	x
Solomon Islands	x	x	x	x	x	x
Somalia	x	x	x	x	x	x
Sri Lanka	x	x	x	x	x	x
St Kitts	x	x	x	x	x	x
St Lucia	x	x	x	x	x	x
St Vincent & Grenad.	x	x	x	x	x	x
Sudan	x	x	x	x	x	x
Surinam	x	x	x	x	x	x
Swaziland	x	x	x	x	x	x
Syria	x	x	x	x	x	x
Taiwan	x	x	x	x	x	x
Tanzania	x	x	x	x	x	x
Thailand	x	x	x	x	x	x
Togo	x	x	x	x	x	x
Tonga	x	x	x	x	x	x
Trinidad and Tobago	x	x	x	x	x	x
Tunisia	x	x	x	x	x	x
Tuvalu	x	x	x	x	x	x
Uganda	x	x	x	x	x	x
United Arab Emirates	x	x	x	x	x	x
Uruguay	x	x	x	x	x	x
Vanuatu	x	x	x	x	x	x
Venezuela	x	x	x	x	x	x
Vietnam	x	x	x	x	x	x
Yemen	x	x	x	x	x	x
Zaire	x	x	x	x	x	x
Zambia	x	x	x	x	x	x
Zimbabwe	x	x	x	x	x	x

Taken from: B. Ganter, R. Wille: Formal Concept Analysis -  
Mathematical Foundations. Springer, Heidelberg 1999

The abbreviations stand for: LLDC := Least Developed Countries, MSAC := Most Seriously Affected Countries, OPEC := Organization of Petrol Exporting Countries, ACP := African, Caribbean and Pacific Countries.



**Stem basis of the 3rd World context:**

- { OPEC } → { Group of 77, Non-Alligned }
- { MSAC } → { Group of 77 }
- { Non-Alligned } → { Group of 77 }
- { Group of 77, Non-Alligned, MSAC, OPEC } → { LLDC, AKP }
- { Group of 77, Non-Alligned, LLDC, OPEC } → { MSAC, AKP }

## Determining the stem basis with Next-Closure

is based on the following theorem:

**Theorem:** The set of all intents and pseudo-intents is a closure system. Its corresponding closure operator is given as follows:

Starting from set  $X$  we compute successively

$$X^{\mathcal{L}^*} := X \cup \cup \{ B \mid A \rightarrow B \in \mathcal{L}, A \subseteq X, A \neq X \}$$

$$X^{\mathcal{L}^* \mathcal{L}^*} := X^{\mathcal{L}^*} \cup \cup \{ B \mid A \rightarrow B \in \mathcal{L}, A \subseteq X^{\mathcal{L}^*}, A \neq X^{\mathcal{L}^*} \}$$

etc, until a set  $\mathcal{L}^*(X)$  with  $\mathcal{L}^*(X) = \mathcal{L}^*(\mathcal{L}^*(X))$  is reached. This is then the desired intent or pseudo-intent.

20.06.2005 13

Algorithm **Next-Closure** for computing all concept intents and the stem basis:

0) The set  $\mathcal{L}$  of all implications is set to the empty set.

1) The lexicographically first intent or pseudo-intent is  $\emptyset$ .

2) Is  $A$  determined to be intent or pseudo-intent, then the lexicographically next intent/pseudo-intent is computed by checking all  $i \in M \setminus A$  in decreasing order until  $A <_i \mathcal{L}^*(A \cdot i)$  holds.

$\mathcal{L}^*(A \cdot i)$  is then the next intent or pseudo-intent.

3) If  $\mathcal{L}^*(A \oplus i) = (\mathcal{L}^*(A \cdot i))^{\prime\prime}$ , then  $\mathcal{L}^*(A \cdot i)$  is a concept intent, else it is a pseudo-intent, and the implication  $\mathcal{L}^*(A \cdot i) \rightarrow (\mathcal{L}^*(A \cdot i))^{\prime\prime}$  is added to  $\mathcal{L}$ .

4) If  $\mathcal{L}^*(A \cdot i) = M$ , then stop, else  $A \leftarrow \mathcal{L}^*(A \cdot i)$  and continue at 2).

20.06.2005 15

The first part of the theorem is proven by using the following lemma:

**Lemma:** If  $P$  and  $Q$  are concept intents or pseudo-intents with  $P \neq Q$ ,  $P \not\subseteq Q$ , and  $Q \not\subseteq P$ , then  $P \cap Q$  is a concept intent.

**Proof:**  $P$  and  $Q$ , and therefore also  $P \cap Q$ , respect all implications in  $\mathcal{L} \setminus \{ P \rightarrow P^{\prime\prime}, Q \rightarrow Q^{\prime\prime} \}$ . If  $P \neq P \cap Q \neq Q$ , then  $P \cap Q$  respects these implications, too, and is hence a concept intent.

20.06.2005 14

**Example:** on blackboard

A	i	$A \cdot i$	$\mathcal{L}^*(A \cdot i)$	$A <_i \mathcal{L}^*(A \cdot i)?$	$(\mathcal{L}^*(A \cdot i))^{\prime\prime}$	$\mathcal{L}$	intents

Sinus 44  
Nokia 6110  
T-Fax 301  
T-Fax 360 PC

	Mobil (1)	Telephone (2)	Fax (3)	Fax w. N.-Paper (4)
Sinus 44	X			
Nokia 6110	X	X		
T-Fax 301			X	X
T-Fax 360 PC			X	

20.06.2005 16

## Association Rules

{ veil color: white, gill spacing: close } → { gill attachment: free }  
Support: 78,52 %    Confidence: 99,6 %

The input data of association rules algorithms can be written as a formal context  $(G, M, I)$ :

- $M$  is a set of items,
- $G$  consists of the transaction IDs,
- and the relation  $I$  is the list of transactions.

20.06.2005 17

## Association Rules

{ veil color: white, gill spacing: close } → { gill attachment: free }  
Support: 78,52 %    Confidence: 99,6 %

The **support** is the percentage of all objects having all attributes in premise and conclusion:

**Def.:** The support of an attribute set  $X \subseteq M$  is given by  $\text{supp}(X) = \frac{|X'|}{|G|}$

The support of an association rule  $X \rightarrow Y$  is given by  $\text{supp}(X \rightarrow Y) := \text{supp}(X \cup Y)$ .

The **confidence** is the percentage of all objects fulfilling the premise among all objects fulfilling both premise and conclusion.

**Def.:** The confidence of a rule  $X \rightarrow Y$  is given by  $\text{conf}(X \rightarrow Y) = \frac{\text{supp}(X \cup Y)}{\text{supp}(X)}$

20.06.2005 18

## Bases of Association Rules

{ veil color: white, gill spacing: close } → { gill attachment: free }  
Support: 78,52 %    Confidence: 99,6 %

**Classical Data Mining Task:** Find, for given  $\text{minsupp}, \text{minconf} \in [0,1]$ , all rules with support and confidence above these thresholds

**Our task:** Find a **basis** of rules, i.e., a minimal set of rules out of which all other rules can be derived.

20.06.2005 19

- From  $B' = B'''$  follows


$$\text{supp}(B) = \frac{|B'|}{|G|} = \frac{|B'''|}{|G|} = \text{supp}(B'')$$

**Theorem:**  $X \rightarrow Y$  and  $X'' \rightarrow Y''$  have the same support and the same confidence.

Hence for computing association rules, it is sufficient to compute the supports of all frequent sets with  $B = B''$  (i.e., the intents of the iceberg concept lattice).

20.06.2005 20

## Advantage of the use of iceberg concept lattices (compared to frequent itemsets)




32 frequent itemsets are represented by 12 frequent concept intents

- more efficient computation (e.g. TITANIC)
- fewer rules (without information loss!)

20.06.2005 21

## Advantage of the use of iceberg concept lattices (compared to frequent itemsets)



Association rules can be visualized in the iceberg concept lattice:

- exact rules
- approximate rules

conf = 100 %  
conf < 100 %

20.06.2005 22


## Exact Association Rules

can be derived from the stem basis  
In concept lattices, they can be dire

• **Lemma:** An implication  $X \rightarrow Y$  holds for all concepts generated by the attributes in  $Y$ .

• **Examples:**


- { Swimming } → { Hiking }  
(supp=10/19 ≈ 52.6%, conf = 100%)
- { Boating } → { Swimming, Hiking, NPS Guided Tours, Fishing }  
(supp=4/19 ≈ 21.0%, conf = 100%)
- { Bicycle Trail, NPS Guided Tours } → { Swimming, Hiking }  
(supp=4/19 ≈ 21.0%, conf = 100%)



20.06.2005 23

## Approximate Association Rules

**Def.:** The **Luxemburger basis** consists of all valid association rules  $X \rightarrow Y$  such that there are concepts  $(A_1, B_1)$  and  $(A_2, B_2)$  where  $(A_1, B_1)$  is a direct upper neighbor of  $(A_2, B_2)$ ,  $X = B_1$ , and  $X \cup Y = B_2$ .




Each arrow indicates a rule of the basis, e.g. the rightmost arrow stands for { veil type: partial, gill spacing: close, veil color: white } → { gill attachment: free } (conf = 99.6 %, supp = 78.52 %)

20.06.2005 24

**Theorem:** From the Luxenburger-Basis all approximate rules (incl. support und confidence) can be derived with the following rules:

- $\phi(X \rightarrow Y) = (X \rightarrow Y \setminus Z)$ , für  $\phi \in \{ \text{conf}, \text{supp} \}$ ,  $Z \subseteq X$
- $\phi(X'' \rightarrow Y'') = \phi(X \rightarrow Y)$
- $\text{conf}(X \rightarrow X) = 1$
- $\text{conf}(X \rightarrow Y) = p$ ,  $\text{conf}(Y \rightarrow Z) = q \Rightarrow \text{conf}(X \rightarrow Z) = p \cdot q$   
for all frequent concept intents  $X \subset Y \subset Z$ .
- $\text{supp}(X \rightarrow Z) = \text{supp}(Y \rightarrow Z)$ , for all  $X, Y \subseteq Z$ .

The basis is minimal with this property.



**Example:**

- { ring number: one }  $\rightarrow$  { veil color: white }
  - has support 89.92 % (the support of the largest concept having both attributes in its intent)
  - and confidence  $97.5 \% \times 99.9 \% \approx 97.4 \%$ .

Name	Number of objects	Average size of objects	Number of items
T10I4D100K	100,000	10	1,000
MUSHROOMS	8,416	23	127
C20D10K	10,000	20	386
C73D10K	10,000	73	2,177

### Some experimental results

Dataset (Minsupp)	Exact rules	D.-G. basis	Approximate Luxenburger		
			Minconf	rules	basis
T10I4D100K (0.5%)	0	0	90%	16,269	3,511
			70%	20,419	4,004
			50%	21,686	4,191
			30%	22,952	4,519
MUSHROOMS (30%)	7,476	69	90%	12,911	563
			70%	37,671	968
			50%	56,703	1,169
			30%	71,412	1,260
C20D10K (50%)	2,277	11	90%	36,012	1,379
			70%	89,601	1,948
			50%	116,791	1,948
			30%	116,791	1,948
C73D10K (90%)	52,035	15	95%	1,606,726	4,052
			90%	2,053,896	4,089
			85%	2,053,936	4,089
			80%	2,053,936	4,089